



SABRE

PROFESSIONAL PVC-U WINDOW AND DOOR HARDWARE

SABRE DOOR CYLINDERS



**EUROPROFILE 6 PIN ANTI-DRILL
DOUBLE KEY OPERATION, 3 KEYS SUPPLIED
OVER 15000 KEY DIFFERS
IN POLISHED BRASS AND NICKEL FINISHES
RANGE OF SIZES TO SUIT MOST PROFILES**



PRODUCT SPECIFICATION

MATERIAL SPECIFICATION:

CZ128 Brass Body
Sintered steel cam
Hardened steel anti-drill pins
Nickel plated brass keys

FINISH SPECIFICATION:

Polished natural brass or polished nickel plated
Sabre logo on cylinder and keys

PRODUCT FEATURES:

6 pins
2 pins anti-drill
3 keys with each cylinder
M5 fixing screw included

PRODUCT OPTIONS

SIZE OPTIONS:


Available from 60mm to 100mm overall length
(E.g. A=35mm + B=45mm measured to centre of cam
= overall length 80mm)

COLOUR OPTIONS:

Polished
Brass



Polished
Nickel



PRODUCT ORDER CODES

BRASS:

Brass 35/35 (30/10/30 = overall length 70mm)	6835/35BA
Brass 35/40 (30/10/35 = overall length 75mm)	6835/40BA
Brass 35/45 (30/10/40 = overall length 80mm)	6835/45BA
Brass 40/40 (35/10/35 = overall length 80mm)	6840/40BA
Brass 40/45 (35/10/40 = overall length 85mm)	6840/45BA
Brass 40/50 (35/10/45 = overall length 90mm)	6840/50BA
Brass 40/55 (35/10/50 = overall length 95mm)	6840/55BA
Brass 40/60 (35/10/55 = overall length 100mm)	6840/60BA
Brass 45/45 (40/10/40 = overall length 90mm)	6845/45BA
Brass 45/50 (40/10/45 = overall length 95mm)	6845/50BA
Brass 45/55 (40/10/50 = overall length 100mm)	6845/55BA

NICKEL:

Nickel 35/35 (30/10/30 = overall length 70mm)	6835/35NA
Nickel 35/40 (30/10/35 = overall length 75mm)	6835/40NA
Nickel 35/45 (30/10/40 = overall length 80mm)	6835/45NA
Nickel 40/40 (35/10/35 = overall length 80mm)	6840/40NA
Nickel 40/45 (35/10/40 = overall length 85mm)	6840/45NA
Nickel 40/50 (35/10/45 = overall length 90mm)	6840/50NA
Nickel 40/55 (35/10/50 = overall length 95mm)	6840/55NA
Nickel 40/60 (35/10/55 = overall length 100mm)	6840/60NA
Nickel 45/45 (40/10/40 = overall length 90mm)	6845/45NA
Nickel 45/50 (40/10/45 = overall length 95mm)	6845/50NA
Nickel 45/55 (40/10/50 = overall length 100mm)	6845/55NA




ASSOCIATED DOOR HARDWARE:

Yale BS/EN 1303 Door Cylinders
Yale Multipoint Lock Solutions
Yale & Hoppe Door Handles
Sabre Fingerbolts & Keeps
Sabre High Security Flag Hinges
Sabre Letterplates

Please enquire for details of the full range of sizes and options available.

HOW TO MEASURE A DOOR CYLINDER



Measurement A - Measure from one end of the cylinder to the middle of the central screw hole (e.g. 40mm).

Measurement B – Measure from the other end to the middle of the central screw hole (e.g. 50mm).

This would be a 40/50 cylinder (90mm in length).

No further measurements are required.

(It is usually possible to measure the cylinder in the door but to get a perfect measurement you may need to remove the cylinder.)

SALES PHONE: +44 (0) 1733 847520
SALES FAX: +44 (0)1733 343465
SALES EMAIL: ifi@ifi.eu
www.ifi.eu



IFI Limited
Rutland Business Park
Newark Road
Peterborough
PE1 5WA
United Kingdom